

Grand i10 Hatch MY24		Grand i10 1.0 Premium MT MY24	Grand i10 1.2 Premium AT MY24	Grand i10 1.0 Executive MT MY24
		5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual
ENGINE				
General Data				
	Displacement (cc)	998	1 197	998
	Bore x Stroke (mm)	71.0 X 84.0	71.0 X 75.6	71.0 X 84.0
	Compression Ratio	10,5	10,5	10,5
	Max. Power (kW/rpm)	48.5 @ 5 500	61 @ 6 000	48.5 @ 5 500
	Max. Torque (Nm/rpm)	94 @ 3 500	114 @ 4 000	94 @ 3 500
Number of Cylinders		3	4	3
Cylinder Block		Aluminium	Aluminium	Aluminium
Cylinder Head		Aluminium	Aluminium	Aluminium
Engine Cover		Standard	Standard	Standard
Valve System		12 Valve MLA	16 Valve Swing Arm HLA	12 Valve MLA
Fuel System		MPI	MPI	MPI
Fuel Type		High Octane Petrol	High Octane Petrol	High Octane Petrol
Fuel Tank (L)		37ℓ	37ℓ	37ℓ
Lubricant Oil Capacity (L)		3	3,6	3
Cooling Fluid Capacity (L)		4,7	5,3	4,7
Electrical System				
	Battery	40 AH	40 AH	40 AH
	Alternator	13.5V, 90A	13.5V, 90A	13.5V, 90A
	Starter	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW
TRANSMISSION				
Drive Type				
Transmission Type		2WD	2WD	2WD
Gear Ratio		5 Speed Manual	4 Speed Automatic	5 Speed Manual
	1st	3,727	2,919	3,727
	2nd	2,056	1,551	2,056
	3rd	1,269	1,000	1,269
	4th	0,906	0,713	0,906
	5th	0,744	-	0,744
	Reverse	3,636	2,480	3,636
	Final	4,600	5,104	4,600
Clutch Type		Dry Single Plate Diaphragm Spring Type	Torque converter	Dry Single Plate Diaphragm Spring Type
Lubricant Capacity (L)		1.3ℓ~1.4ℓ	6.1ℓ	1.3ℓ~1.4ℓ
VEHICLE PERFORMANCE				
Max Speed (kph)				
Acceleration (sec)		153	160	153
	0 → 100 kph	14,9	14,5	14,9
Braking (m)				
	100 → 0 m	41,6	41,6	41,6
Coefficient of Drag				
FUEL CONSUMPTION (European testing)				
Combined Cycle		Litres / 100 km	5,5	5,9
				5,5
CO2 EMISSIONS (European testing)				
Combined Cycle		g/km	130	141
				130
SUSPENSION				
Front		McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs
Rear		CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)
Shock Absorbers		Front	GAS	GAS
	Rear		GAS	GAS
STEERING				
Steering Wheel Description		3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type		RACK & PINION	RACK & PINION	RACK & PINION
Power Assisted		EPS	EPS	EPS
Steering Column Adjustment		Tilt	Tilt	Tilt
Steering Wheel Finish		Poly Urethane	Poly Urethane	Artificial Leather
Steering Wheel Multifunction Controls		Audio & Bluetooth	Audio & Bluetooth	Audio, On Board Computer, Bluetooth & Cruise
Steering Wheel Turns (lock to lock)		2,91	2,91	2,91
Min. Turning Radius (m)		4,90	4,90	4,90
WHEELS & TYRES				
Wheel Type		Styled Covers	Styled Covers	Alloy
Tyre Size				
	Front	165/70R14	165/70R14	175/60R15
	Rear	165/70R14	165/70R14	175/60R15
	Spare	165/70R14	165/70R14	165/70R14 (Steel)
Spare Tyre Location		Located under the cargo floor	Located under the cargo floor	Located under the cargo floor
Tyre Pressure (Kpa):				
	Front			
	Unladen	240	240	240
	Laden	240	240	240
	Rear			
	Unladen	230	230	230
	Laden	230	230	230
	Spare	240	240	240
BRAKES				

Sensitivity - Operational		Grand i10 1.0 Premium MT MY24	Grand i10 1.2 Premium AT MY24	Grand i10 1.0 Executive MT MY24
Grand i10 Hatch MY24		5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual
Front Brake Type		252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC
Rear Brake Type		203.2mm DRUM	203.2mm DRUM	203.2mm DRUM
Brake Booster		9"	9"	9"
Boost Ratio		7.5:1	7.5:1	7.5:1
Park Brake		HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE
ABS (Anti-Lock Breaking System)		Standard	Standard	Standard
EBD (Electronic Brake Force Distribution)		Standard	Standard	Standard
WEIGHT (kg)				
Vehicle				
Curb / Tare		892	916	892
Gross Vehicle Mass (GVM)		1380	1400	1380
Gross Combination Mass (GCM)		0	0	0
Maximum Mass On Front Axle		830	830	830
Maximum Mass On Rear Axle		780	780	780
Payload		488	484	488
DIMENSIONS				
Exterior (mm)				
Overall Length		3 815	3 815	3 815
Overall Width		1 680	1 680	1 680
Overall Height		1 510	1 510	1 510
Wheelbase		2 450	2 450	2 450
Wheel Tread (mm)				
Front		1 489	1 489	1 477
Rear		1507	1507	1495
Overhang (mm)				
Front		715	715	715
Rear		650	650	650
Ground Clearance		157	157	157
Interior (mm)				
Head Room				
Front Row		1 010	1 010	1 010
Second Row		985	985	985
Leg Room				
Front Row		1 050	1 050	1 050
Second Row		885	885	885
Shoulder Room				
Front Row		1 326	1 326	1 326
Second Row		1 325	1 325	1 325
Front Row		1 259	1 259	1 259
Second Row		1 201	1 201	1 201
Cargo Area (L) - SAE				
Behind Second Row		360	360	360
STYLING FEATURES				
Bumper Styling				
Front		Body Colour	Body Colour	Body Colour
Rear		Body Colour	Body Colour	Body Colour
Door Handles		Body Colour	Body Colour	Body Colour
Front Grill Styling		Black	Black	Glossy Black
Gear Lever Finish		Poly Urethane	Poly Urethane	Artificial Leather
Roof Colour		Body Colour	Body Colour	Body Colour/2 Tone Optional
Rear Spoiler		Body Colour	Body Colour	Body Colour/2 Tone Optional
Side Mirrors		Black	Black	Body Colour/2 Tone Optional
Side Sill Moulding		Body Colour	Body Colour	Body Colour
Skid Plate (Rear)		Black	Black	Black
Metallic Paint		Optional	Optional	Optional
SEATS				
Front Seats				
Drivers Seat Adjustment				
Slide		Manual	Manual	Manual
Recline		Manual	Manual	Manual
Height		Manual - Pump Type	Manual - Pump Type	Manual - Pump Type
Head Rests		Height Adjustable	Height Adjustable	Height Adjustable
Seat Back Pockets		-	-	Standard
Passenger Seat Adjustment				
Slide		Manual	Manual	Manual
Recline		Manual	Manual	Manual
Head Rests		Height Adjustable	Height Adjustable	Height Adjustable
Seat Back Pockets		-	-	Standard
Floor Mats		Standard	Standard	Standard
Second Row				
Split Rear Seats		-	-	60/40
Head Rests		2 x Height Adjustable	2 x Height Adjustable	3 x Height Adjustable
Number of Seats		5	5	5
Seating Configuration		2 / 3	2 / 3	2 / 3
Seat Trim		Black Cloth & Vinyl with Red Trim	Black Cloth & Vinyl with Red Trim	Black Cloth & Vinyl with Red Trim
Anti-submarine		Standard	Standard	Standard
SAFETY FEATURES				
Airbags				
Driver - Depowered		Standard	Standard	Standard
Passenger - Depowered		Standard	Standard	Standard
Body				
Crumple Zones		Standard	Standard	Standard
Side Impact Protection Beams		Standard	Standard	Standard
Uni-body Construction		Standard	Standard	Standard
Lights				
Delay Exiting On head lights		Standard	Standard	Standard
Delay Exiting On Interior lights		Standard	Standard	Standard
Headlight Auto On/Off Function		-	-	Standard
Headlight Type		Halogen	Halogen	Halogen

Sensitivity - Operational		Grand i10 1.0 Premium MT MY24	Grand i10 1.2 Premium AT MY24	Grand i10 1.0 Executive MT MY24
Grand i10 Hatch MY24		5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual
Seatbelt	High Mount Stop Light	Standard	Standard	Standard
	Daytime Running Lights	-	-	Standard - LED
	Rear Combination Lamp	LED + Bulb	LED + Bulb	LED + Bulb
	Side Indicators	On Side Fender	On Side Fender	On Side Mirror
	Front Seats			
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
	Pretensioner with Load Limiter	Standard	Standard	Standard
	Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard
	Second Row			
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap
Security	ISOFIX Child Seat Attachments	Standard	Standard	Standard
	Alarm	Standard	Standard	Standard
	Auto Unlocking Doors	Standard on key removal	Standard on key removal	Standard on key removal
	Central Locking	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control
	Child Lock on Rear Doors	Standard	Standard	Standard
	Impact Sensing Door Unlock	Standard	Standard	Standard
	Remote Keyless Entry	Standard	Standard	Standard
	Transponder Immobiliser	Standard	Standard	Standard
	Windscreen			
	Front			
Windscreen	Tinted	Standard	Standard	Standard
	Rear			
	Demister	20 min timer	20 min timer	20 min timer
	Wiper & Washer	Standard	Standard	Standard
CONVENIENCE FEATURES				
Ventilation	Air-Conditioner	Manual	Manual	Manual
	2nd Row Passenger Adjustable Air Vents	Standard	Standard	Standard
Audio system	Audio	Infotainment System	Infotainment System	Infotainment System
	Screen Size	8"	8"	8"
	Touch Screen	Standard	Standard	Standard
	Device Application Connect	Standard	Standard	Standard
	USB Connection	Standard	Standard	Standard
	Cellphone Preparation (incl Bluetooth)	Standard	Standard	Standard
	Voice Control	Standard	Standard	Standard
	Antenna Location	Roof - Rear	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers	4 Speakers	4 Speakers
	Rear View Camera	Standard	Standard	Standard
Instrumentation	Cluster	Conventional With 2.8" LCD(SEG)	Conventional With 2.8" LCD(SEG)	Conventional With 3.5" TFT LCD
	Digital Clock	Standard	Standard	Standard
	Illumination Rheostat	-	-	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	Standard
Courtesy Lights	Cabin	Standard	Standard	Standard
	Cargo Area	Standard	Standard	Standard
	Door - Alert	Standard	Standard	Standard
Rear View Mirrors	Side Mirrors			
	Adjustment	Electric	Electric	Electric
	Folding Function	Manual	Manual	Electric
	Heated	-	-	Standard
	Inside Rear View Mirror			
Window Operation	Day Night Function	Manual	Manual	Manual
	Front			
	Operation	Electric	Electric	Electric
	One Touch Feature	-	-	Driver - Auto Down
	Rear			
Windscreen Wipers	Operation	Electric	Electric	Electric
	Front			
	2 Speed Settings	Standard	Standard	Standard
	Single Wipe Function	Standard	Standard	Standard
	Variable Intermittent Function	Standard	Standard	Standard
	Rear			
	2 Speed Settings	Standard	Standard	Standard
Storage Compartments	Washer	Standard	Standard	Standard
	Cup Holders	Front	Front	Front
	Glove Box	Standard	Standard	Standard
Luggage Compartments	Map Pockets: Door Panels	Front & Rear	Front & Rear	Front & Rear
	Cargo Screen	Standard	Standard	Standard
	Luggage Net	-	-	Standard
	Luggage Hooks	-	-	Standard
Sun Visor	Vanity Mirror	Driver & Passenger	Driver & Passenger	Driver & Passenger
	Doors			
Doors	Side	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged
	Rear	Lift Type	Lift Type	Lift Type
Cruise Control		-	-	Standard
Park Assist		Rear	Rear	Rear
Park Camera - Rear		Standard	Standard	Standard
Power Sockets (Type C USB)		Front Console	Front Console	Front Console
USB Connection		Front & Rear Console	Front & Rear Console	Front & Rear Console
Ambient Mood Lighting		-	-	Standard
WARRANTY & MAINTENANCE				
Warranty		5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty

Sensitivity - Operational	Grand i10 Hatch MY24	Grand i10 1.0 Premium MT MY24	Grand i10 1.2 Premium AT MY24	Grand i10 1.0 Executive MT MY24
		5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual
		Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty		5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance		7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km
Service Plan		1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km
Service Intervals		15 000 km	15 000 km	15 000 km